

2023年4月版(2023.2制定) グレーチング & ピットカバー 定価

ガイドレ株式会社

■玄関マット

符号	呼び	高さ	蓋定価		受枠定価
			すきま(mm)		
			7	12	
DMMT-8 	906	15	77,200	59,000	27,100
		20	96,500	75,100	27,600
	1206	15	101,500	79,200	30,700
		20	126,400	99,700	31,200
	1209	15	155,800	117,500	34,200
		20	186,600	146,900	34,900

※受け枠価格は四方枠となります。

■歩道用グレーチング

符号	呼び	高さ	蓋定価				受枠定価	枠延長 料金 (1m分)
			すきま(mm)					
			6	7	9	12		
DMTG-A8S 	15	15	41,200	39,400	34,600	32,800	22,800	11,700
		20	45,300	42,700	39,700	38,400	23,200	12,000
	20	15	49,300	45,600	39,500	37,100	23,400	11,700
		20	51,600	48,800	43,600	41,600	23,800	12,000
	25	15	54,100	51,400	44,500	41,800	24,000	11,700
		20	56,600	54,300	49,700	47,900	24,400	12,000
	30	15	62,400	59,600	52,700	49,900	24,600	11,700
		20	65,100	61,800	57,800	56,300	25,000	12,000
	35	15	69,400	67,100	59,300	55,400	25,200	11,700
		20	76,000	72,900	67,500	61,600	25,600	12,000
	40	15	83,200	80,500	70,400	66,500	25,800	11,700
		20	88,200	84,900	77,900	74,000	26,200	12,000

※受け枠価格は四方枠1m分となります。

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受け枠価格は四方枠1m分となります。

■側溝用グレーチング フラットバータイプ

符号	呼び	溝幅	寸法(mm)		蓋定価								受枠定価	枠延長 料金 (1m分)
					ピッチ(mm)									
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重	30			
DFG 	15	100	150 × 1000 × 20	T-20	61,400	T-20	51,700	T-20	44,000	T-20	32,500	23,400	12,000	
			150 × 1000 × 25	T-20	82,800	T-20	65,600	T-20	58,600	T-20	50,100	24,200	12,900	
			150 × 1000 × 32	T-20	98,600	T-20	81,300	T-20	70,400	T-20	61,000	27,100	15,400	
	20	150	200 × 1000 × 20	T-20	80,300	T-14	65,600	T-6	57,500	T-2	48,200	24,100	12,000	
			200 × 1000 × 25	T-20	102,800	T-20	77,800	T-14	71,000	T-14	59,300	24,800	12,900	
			200 × 1000 × 32	T-20	123,500	T-20	99,000	T-20	85,800	T-20	75,600	27,900	15,400	
	25	200	250 × 1000 × 20	T-2	103,600	T-2	85,800	T-2	75,000	T-歩	58,000	24,600	12,000	
			250 × 1000 × 25	T-14	129,100	T-6	104,100	T-2	88,700	T-2	77,800	25,400	12,900	
			250 × 1000 × 32	T-20	156,000	T-20	124,700	T-14	106,800	T-14	93,500	28,600	15,400	
	30	250	250 × 1000 × 38	T-20	183,500	T-20	146,100	T-20	124,600	T-20	109,200	30,300	16,400	
			300 × 1000 × 20	T-2	118,200	T-歩	98,600	T-歩	84,700	T-歩	71,200	25,200	12,000	
			300 × 1000 × 25	T-2	151,700	T-2	116,200	T-2	99,000	T-歩	88,200	26,100	12,900	
	35	300	300 × 1000 × 32	T-20	180,500	T-14	143,400	T-2	122,700	T-2	106,800	29,500	15,400	
			300 × 1000 × 38	T-20	213,300	T-20	169,200	T-14	143,400	T-14	124,600	31,100	16,400	
			300 × 1000 × 50	T-20	278,500	T-20	221,300	T-20	187,700	T-20	151,700	34,500	19,100	
	40	350	350 × 1000 × 20	T-歩	141,100	T-歩	117,400	T-歩	97,100	T-歩	78,800	25,900	12,000	
			350 × 1000 × 25	T-2	179,900	T-2	142,000	T-歩	120,200	T-歩	103,900	26,800	12,900	
			350 × 1000 × 32	T-14	213,800	T-2	169,300	T-2	144,400	T-2	125,500	30,200	15,400	
			350 × 1000 × 38	T-20	251,400	T-14	197,500	T-6	167,900	T-2	145,600	31,900	16,400	
			350 × 1000 × 50	T-20	326,900	T-20	258,900	T-20	218,900	T-14	187,600	35,400	19,100	
	45	400	400 × 1000 × 20	T-歩	156,400	T-歩	130,900	T-歩	109,500	T-歩	92,100	26,400	12,000	
			400 × 1000 × 25	T-2	197,700	T-歩	157,300	T-歩	131,700	T-歩	114,600	27,500	12,900	
			400 × 1000 × 32	T-2	238,500	T-2	187,700	T-2	159,500	T-歩	138,800	31,000	15,400	
			400 × 1000 × 38	T-14	281,000	T-6	221,100	T-2	186,900	T-2	161,700	32,800	16,400	
	50	450	400 × 1000 × 50	T-20	366,000	T-20	288,700	T-14	244,400	T-14	207,000	36,400	19,100	
			450 × 1000 × 20	T-歩	179,900	T-歩	149,100	T-歩	124,800	T-歩	105,300	27,000	12,000	
			450 × 1000 × 25	T-歩	228,600	T-歩	179,400	T-歩	151,100	T-歩	130,300	28,000	12,900	
			450 × 1000 × 32	T-2	270,400	T-2	213,300	T-歩	180,500	T-歩	156,400	31,700	15,400	
			450 × 1000 × 38	T-14	319,300	T-2	250,300	T-2	211,200	T-2	182,300	33,600	16,400	
	50	450	450 × 1000 × 50	T-20	390,400	T-14	325,700	T-14	275,600	T-2	230,900	37,300	19,100	
500 × 1000 × 20			T-歩	194,400	T-歩	161,700	T-歩	137,100	T-歩	113,000	27,700	12,000		
500 × 1000 × 25			T-歩	248,600	T-歩	194,400	T-歩	163,600	T-歩	141,100	28,800	12,900		
500 × 1000 × 32			T-2	294,700	T-2	230,900	T-歩	196,200	T-歩	170,000	32,400	15,400		
50	450	500 × 1000 × 38	T-2	347,500	T-2	272,300	T-2	229,000	T-歩	197,700	34,500	16,400		
		500 × 1000 × 50	T-20	452,800	T-14	356,600	T-6	300,500	T-2	250,400	38,300	19,100		

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価表

ダイドレ株式会社

※受け枠価格は四方枠1m分となります。

■側溝用グレーチング ローレット型

符号	呼び	溝幅	寸法(mm)		蓋定価						受枠定価	枠延長料金 (1m分)	
					ピッチ(mm)								
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重			30
DFG-R 	15	100	150 × 1000 × 20	T-20	74,400	T-20	58,000	T-20	52,300	T-20	44,100	23,400	12,000
			150 × 1000 × 25	T-20	94,400	T-20	74,100	T-20	67,500	T-20	58,000	24,200	12,900
			150 × 1000 × 32	T-20	117,900	T-20	93,300	T-20	84,700	T-20	71,600	27,100	15,400
	20	150	200 × 1000 × 20	T-20	90,000	T-14	75,900	T-6	68,300	T-2	53,800	24,100	12,000
			200 × 1000 × 25	T-20	119,000	T-20	94,900	T-14	87,800	T-14	70,600	24,800	12,900
			200 × 1000 × 32	T-20	149,700	T-20	118,000	T-20	101,200	T-20	82,400	27,900	15,400
	25	200	250 × 1000 × 20	T-2	119,700	T-2	97,100	T-2	87,600	T-歩	68,700	24,600	12,000
			250 × 1000 × 25	T-14	153,900	T-6	119,700	T-2	100,600	T-2	84,800	25,400	12,900
			250 × 1000 × 32	T-20	184,200	T-20	150,000	T-14	129,100	T-14	102,100	28,600	15,400
	30	250	250 × 1000 × 38	T-20	216,900	T-20	172,800	T-20	147,600	T-20	115,100	30,300	16,400
			300 × 1000 × 20	T-2	143,600	T-歩	118,400	T-歩	105,200	T-歩	83,000	25,200	12,000
			300 × 1000 × 25	T-2	179,600	T-2	141,000	T-2	129,100	T-歩	101,400	26,100	12,900
	35	300	300 × 1000 × 32	T-20	220,500	T-14	176,100	T-2	149,700	T-2	117,300	29,500	15,400
			300 × 1000 × 38	T-20	255,200	T-20	209,700	T-14	171,700	T-14	137,100	31,100	16,400
			300 × 1000 × 50	T-20	328,800	T-20	261,400	T-20	215,800	T-20	173,300	34,500	19,100
	40	350	350 × 1000 × 20	T-歩	156,600	T-歩	139,100	T-歩	119,900	T-歩	97,100	25,900	12,000
			350 × 1000 × 25	T-2	212,600	T-2	167,200	T-歩	152,700	T-歩	118,400	26,800	12,900
			350 × 1000 × 32	T-14	264,200	T-2	209,900	T-2	178,500	T-2	140,600	30,200	15,400
			350 × 1000 × 38	T-20	297,000	T-14	251,800	T-6	207,100	T-2	164,100	31,900	16,400
	45	400	350 × 1000 × 50	T-20	380,100	T-20	307,500	T-20	257,300	T-14	205,200	35,400	19,100
			400 × 1000 × 20	T-歩	189,000	T-歩	155,800	T-歩	137,300	T-歩	107,500	26,400	12,000
			400 × 1000 × 25	T-2	239,000	T-歩	186,500	T-歩	170,000	T-歩	134,000	27,500	12,900
			400 × 1000 × 32	T-2	278,500	T-2	226,800	T-2	202,500	T-歩	147,000	31,000	15,400
	50	450	400 × 1000 × 38	T-14	325,300	T-6	273,600	T-2	230,900	T-2	178,700	32,800	16,400
			400 × 1000 × 50	T-20	418,300	T-20	341,200	T-14	287,800	T-14	220,800	36,400	19,100
			450 × 1000 × 20	T-歩	214,400	T-歩	176,700	T-歩	155,900	T-歩	122,100	27,000	12,000
			450 × 1000 × 25	T-歩	271,900	T-歩	213,100	T-歩	192,100	T-歩	150,000	28,000	12,900
	50	450	450 × 1000 × 32	T-2	305,500	T-2	263,900	T-歩	225,100	T-歩	175,900	31,700	15,400
			450 × 1000 × 38	T-14	354,100	T-2	318,000	T-2	261,400	T-2	204,900	33,600	16,400
			450 × 1000 × 50	T-20	437,300	T-14	388,400	T-14	328,700	T-2	255,200	37,300	19,100
500 × 1000 × 20			T-歩	232,900	T-歩	189,500	T-歩	169,300	T-歩	132,200	27,700	12,000	
500 × 1000 × 25			T-歩	302,700	T-歩	232,900	T-歩	208,000	T-歩	164,400	28,800	12,900	
50	450	500 × 1000 × 32	T-2	347,800	T-2	291,100	T-歩	239,500	T-歩	186,600	32,400	15,400	
		500 × 1000 × 38	T-2	410,400	T-2	341,300	T-2	283,800	T-歩	222,200	34,500	16,400	
		500 × 1000 × 50	T-20	523,700	T-14	421,200	T-6	349,500	T-2	275,100	38,300	19,100	

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受け枠価格は四方枠1m分となります。

■ボルト固定式 側溝用グレーチング フラットバータイプ

符号	呼び	溝幅	寸法(mm)		蓋定価						受枠定価	枠延長 料金 (1m分)	
			幅×長さ×高さ	耐荷重	ピッチ(mm)				耐荷重	30			
					15	耐荷重	20	耐荷重					25
DFG-B 	15	100	150 × 995 × 20	T-20	74,300	T-20	65,000	T-20	56,900	T-20	45,700	28,300	16,400
			150 × 995 × 25	T-20	95,700	T-20	78,800	T-20	71,600	T-20	63,000	30,100	17,800
			150 × 995 × 32	T-20	111,600	T-20	94,400	T-20	83,500	T-20	73,900	32,800	20,600
	20	150	200 × 995 × 20	T-20	93,300	T-14	78,800	T-6	70,400	T-2	61,400	29,000	16,400
			200 × 995 × 25	T-20	115,800	T-20	90,800	T-14	84,100	T-14	72,200	31,100	17,800
			200 × 995 × 32	T-20	136,600	T-20	111,900	T-20	98,700	T-20	88,500	33,800	20,600
	25	200	250 × 995 × 20	T-2	116,600	T-2	98,700	T-2	88,200	T-歩	71,000	29,900	16,400
			250 × 995 × 25	T-14	142,000	T-6	117,200	T-2	101,800	T-2	90,800	31,900	17,800
			250 × 995 × 32	T-20	169,000	T-20	137,900	T-14	120,000	T-14	106,500	34,900	20,600
	30	250	250 × 995 × 38	T-20	196,600	T-20	159,200	T-20	137,500	T-20	122,000	37,500	22,800
			300 × 995 × 20	T-2	131,200	T-歩	111,600	T-歩	97,700	T-歩	84,200	30,700	16,400
			300 × 995 × 25	T-2	164,600	T-2	129,200	T-2	111,900	T-歩	101,100	32,800	17,800
	35	300	300 × 995 × 32	T-20	193,500	T-14	156,400	T-2	135,600	T-2	120,000	35,900	20,600
			300 × 995 × 38	T-20	226,200	T-20	182,200	T-14	156,400	T-14	137,500	38,700	22,800
			300 × 995 × 50	T-20	291,400	T-20	234,300	T-20	200,900	T-20	164,600	46,100	28,400
	40	350	350 × 995 × 20	T-歩	154,200	T-歩	130,400	T-歩	110,200	T-歩	91,900	31,500	16,400
			350 × 995 × 25	T-2	193,200	T-2	155,100	T-歩	133,000	T-歩	116,700	33,700	17,800
			350 × 995 × 32	T-14	226,800	T-2	182,300	T-2	157,200	T-2	138,300	36,900	20,600
			350 × 995 × 38	T-20	264,500	T-14	210,600	T-6	180,800	T-2	158,700	39,900	22,800
	45	400	350 × 995 × 50	T-20	339,900	T-20	271,900	T-20	232,000	T-14	200,800	47,500	28,400
			400 × 995 × 20	T-歩	169,500	T-歩	143,700	T-歩	122,700	T-歩	105,300	32,300	16,400
			400 × 995 × 25	T-2	210,700	T-歩	170,400	T-歩	144,600	T-歩	127,700	34,600	17,800
			400 × 995 × 32	T-2	251,300	T-2	200,900	T-2	172,600	T-歩	151,700	38,100	20,600
	50	450	400 × 995 × 38	T-14	293,900	T-6	234,200	T-2	199,800	T-2	174,600	41,000	22,800
			400 × 995 × 50	T-20	379,200	T-20	301,800	T-14	257,600	T-14	220,100	48,900	28,400
			450 × 995 × 20	T-歩	193,200	T-歩	162,300	T-歩	138,000	T-歩	118,200	33,100	16,400
			450 × 995 × 25	T-歩	241,600	T-歩	192,300	T-歩	164,200	T-歩	143,300	35,400	17,800
	50	450	450 × 995 × 32	T-2	283,600	T-2	226,200	T-歩	193,500	T-歩	169,500	38,900	20,600
450 × 995 × 38			T-14	332,100	T-2	263,200	T-2	224,100	T-2	195,400	42,100	22,800	
450 × 995 × 50			T-20	403,400	T-14	339,000	T-14	288,700	T-2	243,900	50,400	28,400	
500 × 995 × 20			T-歩	207,300	T-歩	174,600	T-歩	150,000	T-歩	126,000	33,900	16,400	
500 × 995 × 25			T-歩	261,500	T-歩	207,300	T-歩	176,500	T-歩	154,200	36,400	17,800	
50	450	500 × 995 × 32	T-2	307,700	T-2	243,900	T-歩	209,500	T-歩	183,200	40,000	20,600	
		500 × 995 × 38	T-2	360,600	T-2	285,500	T-2	242,200	T-歩	210,700	43,400	22,800	
		500 × 995 × 50	T-20	466,000	T-14	369,600	T-6	313,400	T-2	263,400	51,600	28,400	

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受け枠価格は四方枠1m分となります。

■ボルト固定式 側溝用グレーチング ローレット型

符号	呼び	溝幅	寸法(mm)		蓋定価						受枠定価	枠延長料金 (1m分)	
			幅×長さ×高さ	耐荷重	ピッチ(mm)				耐荷重	30			
					15	20	25	30					
DFG-BR 	15	100	150 × 995 × 20	T-20	86,200	T-20	69,600	T-20	64,000	T-20	55,900	28,300	16,400
			150 × 995 × 25	T-20	106,100	T-20	86,000	T-20	79,300	T-20	69,600	30,100	17,800
			150 × 995 × 32	T-20	129,700	T-20	105,000	T-20	96,500	T-20	83,500	32,800	20,600
	20	150	200 × 995 × 20	T-20	101,800	T-14	87,800	T-6	80,100	T-2	65,600	29,000	16,400
			200 × 995 × 25	T-20	130,700	T-20	106,700	T-14	99,500	T-14	82,400	31,100	17,800
			200 × 995 × 32	T-20	161,700	T-20	129,900	T-20	113,100	T-20	94,100	33,800	20,600
	25	200	250 × 995 × 20	T-2	131,400	T-2	109,100	T-2	99,300	T-歩	80,500	29,900	16,400
			250 × 995 × 25	T-14	165,800	T-6	131,400	T-2	112,400	T-2	96,800	31,900	17,800
			250 × 995 × 32	T-20	196,200	T-20	161,900	T-14	141,000	T-14	114,100	34,900	20,600
	30	250	250 × 995 × 38	T-20	228,500	T-20	184,700	T-20	159,300	T-20	127,000	37,500	22,800
			300 × 995 × 20	T-2	155,300	T-歩	130,300	T-歩	117,000	T-歩	94,900	30,700	16,400
			300 × 995 × 25	T-2	191,400	T-2	152,700	T-2	141,000	T-歩	113,200	32,800	17,800
	35	300	300 × 995 × 32	T-20	232,400	T-14	188,000	T-2	161,700	T-2	129,100	35,900	20,600
			300 × 995 × 38	T-20	267,100	T-20	221,600	T-14	183,800	T-14	148,800	38,700	22,800
			300 × 995 × 50	T-20	340,600	T-20	273,200	T-20	227,600	T-20	185,100	46,100	28,400
	40	350	350 × 995 × 20	T-歩	168,300	T-歩	151,100	T-歩	131,700	T-歩	109,100	31,500	16,400
			350 × 995 × 25	T-2	224,500	T-2	179,100	T-歩	164,500	T-歩	130,300	33,700	17,800
			350 × 995 × 32	T-14	276,100	T-2	221,800	T-2	190,500	T-2	152,400	36,900	20,600
			350 × 995 × 38	T-20	308,900	T-14	263,700	T-6	218,900	T-2	175,900	39,900	22,800
			350 × 995 × 50	T-20	392,000	T-20	319,200	T-20	269,000	T-14	217,000	47,500	28,400
	45	400	400 × 995 × 20	T-歩	201,000	T-歩	167,600	T-歩	149,200	T-歩	119,300	32,300	16,400
			400 × 995 × 25	T-2	250,700	T-歩	198,300	T-歩	176,200	T-歩	146,000	34,600	17,800
			400 × 995 × 32	T-2	290,200	T-2	238,600	T-2	214,100	T-歩	158,800	38,100	20,600
			400 × 995 × 38	T-14	337,100	T-6	285,500	T-2	242,600	T-2	190,700	41,000	22,800
	50	450	400 × 995 × 50	T-20	430,000	T-20	353,000	T-14	299,500	T-14	232,800	48,900	28,400
			450 × 995 × 20	T-歩	226,100	T-歩	188,500	T-歩	167,800	T-歩	133,900	33,100	16,400
			450 × 995 × 25	T-歩	283,700	T-歩	225,000	T-歩	203,800	T-歩	161,900	35,400	17,800
			450 × 995 × 32	T-2	317,400	T-2	275,900	T-歩	236,900	T-歩	187,600	38,900	20,600
50	450	450 × 995 × 38	T-14	365,800	T-2	329,900	T-2	273,200	T-2	216,900	42,100	22,800	
		450 × 995 × 50	T-20	448,900	T-14	400,200	T-14	340,500	T-2	267,100	50,400	28,400	
		500 × 995 × 20	T-歩	244,800	T-歩	201,300	T-歩	181,400	T-歩	144,100	33,900	16,400	
		500 × 995 × 25	T-歩	314,500	T-歩	244,800	T-歩	220,000	T-歩	176,300	36,400	17,800	
		500 × 995 × 32	T-2	359,900	T-2	302,800	T-歩	251,400	T-歩	198,500	40,000	20,600	
			500 × 995 × 38	T-2	422,400	T-2	353,200	T-2	295,800	T-歩	234,200	43,400	22,800
			500 × 995 × 50	T-20	535,600	T-14	433,200	T-6	361,200	T-2	286,800	51,600	28,400

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価


ダイドレ株式会社

※受け枠価格は四方枠となります。

■側溝用グレーチング パータイプ

符号	呼び	溝幅	寸法 幅×長さ×高さ	鑑定価										受枠定価	枠延長 料金 (1m分)		
				ピッチ(mm)													
				耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重	30				
DH 	15	100	150 × 1000 × 20	T-20	57,200	T-20	49,100	T-20	45,400	T-20	39,600	T-20	30,500	23,400	12,000		
	20	150	200 × 1000 × 20	T-20	69,500	T-20	56,800	T-14	51,000	T-14	49,300	T-6	41,400	24,100	12,000		
	25	200	200 × 1000 × 25	T-20	88,700	T-20	67,800	T-20	66,800	T-20	60,800	T-20	60,800	T-20	51,100	24,800	12,900
			250 × 1000 × 20	T-14	88,800	T-2	73,900	T-2	65,600	T-2	62,100	T-2	49,800	24,300	12,000		
			250 × 1000 × 25	T-20	111,600	T-14	90,200	T-14	83,000	T-6	76,500	T-2	66,900	25,400	12,900		
			250 × 1000 × 32	T-20	138,900	T-20	107,600	T-20	99,500	T-20	92,200	T-20	80,700	28,600	15,400		
	30	250	250 × 1000 × 38	T-20	165,600	T-20	128,000	T-20	113,300	T-20	107,500	T-20	93,600	30,300	16,400		
			300 × 1000 × 20	T-2	102,100	T-2	85,000	T-2	75,600	T-2	73,500	T-歩	61,600	25,200	12,000		
			300 × 1000 × 25	T-14	130,700	T-2	100,300	T-2	95,300	T-2	85,300	T-2	75,900	26,100	12,900		
			300 × 1000 × 32	T-20	155,800	T-20	123,800	T-20	113,400	T-14	105,300	T-14	92,200	29,500	15,400		
	35	300	300 × 1000 × 38	T-20	184,100	T-20	146,000	T-20	134,700	T-20	123,800	T-20	107,500	31,100	16,400		
			350 × 1000 × 20	T-2	121,900	T-歩	101,700	T-歩	93,300	T-歩	84,900	T-歩	72,100	25,900	12,000		
			350 × 1000 × 25	T-2	155,100	T-2	122,200	T-2	112,400	T-2	103,600	T-歩	89,600	26,800	12,900		
			350 × 1000 × 32	T-20	184,500	T-14	146,200	T-14	136,000	T-14	124,300	T-2	108,300	30,200	15,400		
	40	350	350 × 1000 × 38	T-20	217,000	T-20	172,800	T-20	162,600	T-14	144,700	T-14	125,700	31,900	16,400		
			400 × 1000 × 20	T-歩	135,200	T-歩	113,100	T-歩	107,400	T-歩	97,900	T-歩	83,600	26,400	12,000		
			400 × 1000 × 25	T-2	170,600	T-2	135,700	T-歩	124,900	T-歩	113,300	T-歩	99,200	27,500	12,900		
			400 × 1000 × 32	T-14	205,400	T-14	162,300	T-6	152,500	T-2	137,600	T-2	119,700	31,000	15,400		
	45	400	400 × 1000 × 38	T-20	242,400	T-14	191,000	T-14	181,900	T-14	162,800	T-6	139,400	32,800	16,400		
			450 × 1000 × 20	T-歩	162,100	T-歩	140,900	T-歩	131,500	T-歩	116,300	T-歩	93,300	27,000	12,000		
			450 × 1000 × 25	T-2	197,300	T-歩	154,500	T-歩	142,000	T-歩	130,300	T-歩	112,300	28,000	12,900		
			450 × 1000 × 32	T-14	233,300	T-2	184,100	T-2	173,900	T-2	155,900	T-2	135,200	31,700	15,400		
	50	450	450 × 1000 × 38	T-20	275,300	T-14	217,000	T-14	207,800	T-6	182,000	T-6	134,700	33,600	16,400		
			500 × 1000 × 20	T-歩	173,200	T-歩	145,500	T-歩	133,500	T-歩	121,400	T-歩	102,900	27,700	12,000		
500 × 1000 × 25			T-2	214,400	T-歩	167,800	T-歩	156,700	T-歩	141,000	T-歩	121,900	28,800	12,900			
500 × 1000 × 32			T-6	254,200	T-2	199,000	T-2	184,500	T-2	169,200	T-2	146,700	32,400	15,400			
			500 × 1000 × 38	T-14	299,700	T-14	234,700	T-2	216,000	T-2	197,500	T-2	170,600	34,500	16,400		

■側溝用グレーチング パータイプ ローレット型

符号	呼び	溝幅	寸法 幅×長さ×高さ	鑑定価										受枠定価	枠延長 料金 (1m分)		
				ピッチ(mm)													
				耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重	30				
DH-R 	15	100	150 × 1000 × 20	T-20	57,200	T-20	49,100	T-20	45,400	T-20	39,600	T-20	30,500	23,400	12,000		
	20	150	200 × 1000 × 20	T-20	69,500	T-20	56,800	T-14	51,000	T-14	49,300	T-6	41,400	24,100	12,000		
	25	200	200 × 1000 × 25	T-20	88,700	T-20	67,800	T-20	66,800	T-20	60,800	T-20	60,800	T-20	51,100	24,800	12,900
			250 × 1000 × 20	T-14	88,800	T-2	73,900	T-2	65,600	T-2	62,100	T-2	49,800	24,300	12,000		
			250 × 1000 × 25	T-20	111,600	T-14	90,200	T-14	83,000	T-6	76,500	T-2	66,900	25,400	12,900		
			250 × 1000 × 32	T-20	138,900	T-20	107,600	T-20	99,500	T-20	92,200	T-20	80,700	28,600	15,400		
	30	250	250 × 1000 × 38	T-20	165,600	T-20	128,000	T-20	113,300	T-20	107,500	T-20	93,600	30,300	16,400		
			300 × 1000 × 20	T-2	102,100	T-2	85,000	T-2	75,600	T-2	73,500	T-歩	61,600	25,200	12,000		
			300 × 1000 × 25	T-14	130,700	T-2	100,300	T-2	95,300	T-2	85,300	T-2	75,900	26,100	12,900		
			300 × 1000 × 32	T-20	155,800	T-20	123,800	T-20	113,400	T-14	105,300	T-14	92,200	29,500	15,400		
	35	300	300 × 1000 × 38	T-20	184,100	T-20	146,000	T-20	134,700	T-20	123,800	T-20	107,500	31,100	16,400		
			350 × 1000 × 20	T-2	121,900	T-歩	101,700	T-歩	93,300	T-歩	84,900	T-歩	72,100	25,900	12,000		
			350 × 1000 × 25	T-2	155,100	T-2	122,200	T-2	112,400	T-2	103,600	T-歩	89,600	26,800	12,900		
			350 × 1000 × 32	T-20	184,500	T-14	146,200	T-14	136,000	T-14	124,300	T-2	108,300	30,200	15,400		
	40	350	350 × 1000 × 38	T-20	217,000	T-20	172,800	T-20	162,600	T-14	144,700	T-14	125,700	31,900	16,400		
			400 × 1000 × 20	T-2	135,200	T-歩	113,100	T-歩	107,400	T-歩	97,900	T-歩	83,600	26,400	12,000		
			400 × 1000 × 25	T-2	170,600	T-2	135,700	T-歩	124,900	T-歩	113,300	T-歩	99,200	27,500	12,900		
			400 × 1000 × 32	T-14	205,400	T-14	162,300	T-6	152,500	T-2	137,600	T-2	119,700	31,000	15,400		
	45	400	400 × 1000 × 38	T-20	242,400	T-14	191,000	T-14	181,900	T-14	162,800	T-6	139,400	32,800	16,400		
			450 × 1000 × 20	T-歩	162,100	T-歩	140,900	T-歩	131,500	T-歩	116,300	T-歩	93,300	27,000	12,000		
			450 × 1000 × 25	T-2	197,300	T-歩	154,500	T-歩	142,000	T-歩	130,300	T-歩	112,300	28,000	12,900		
			450 × 1000 × 32	T-14	233,300	T-2	184,100	T-2	173,900	T-2	155,900	T-2	135,200	31,700	15,400		
	50	450	450 × 1000 × 38	T-20	275,300	T-14	217,000	T-14	207,800	T-6	182,000	T-6	134,700	33,600	16,400		
			500 × 1000 × 20	T-歩	173,200	T-歩	145,500	T-歩	133,500	T-歩	121,400	T-歩	102,900	27,700	12,000		
500 × 1000 × 25			T-2	214,400	T-歩	167,800	T-歩	156,700	T-歩	141,000	T-歩	121,900	28,800	12,900			
500 × 1000 × 32			T-6	254,200	T-2	199,000	T-2	184,500	T-2	169,200	T-2	146,700	32,400	15,400			
			500 × 1000 × 38	T-14	299,700	T-14	234,700	T-2	216,000	T-2	197,500	T-2	170,600	34,500	16,400		

2023年4月版 (2023.2制定)

グレーチング & ピットカバー 定価

ダイドレ株式会社

※受け枠価格は四方枠となります。

■ボルト固定式 側溝用グレーチング Iバータイプ

符号	呼び	溝幅	寸法		鑑定価								受枠定価	枠延長料金 (1m分)	
					ピッチ (mm)										
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重			30
DHB	15	100	150 × 995 × 20	T-20	72,100	T-20	63,900	T-20	60,200	T-20	54,500	T-20	45,400	28,300	16,400
			200 × 995 × 20	T-20	81,300	T-20	68,700	T-14	63,800	T-14	61,400	T-6	53,300	29,000	16,400
	20	150	200 × 995 × 25	T-20	100,600	T-20	82,700	T-20	81,600	T-20	72,900	T-20	63,000	31,100	17,800
			250 × 995 × 20	T-14	100,700	T-2	85,900	T-2	77,700	T-2	74,100	T-2	60,200	29,900	16,400
			250 × 995 × 25	T-20	123,300	T-14	102,100	T-14	94,900	T-6	88,400	T-2	78,800	31,900	17,800
	25	200	250 × 995 × 32	T-20	153,700	T-20	122,300	T-20	111,600	T-20	104,100	T-20	92,500	34,900	20,600
			250 × 995 × 38	T-20	180,400	T-20	142,900	T-20	126,900	T-20	119,300	T-20	105,600	37,500	22,800
			300 × 995 × 20	T-2	114,100	T-2	96,900	T-2	87,600	T-2	85,300	T-歩	76,400	30,700	16,400
	30	250	300 × 995 × 25	T-14	142,700	T-2	112,100	T-2	107,300	T-2	97,100	T-2	87,800	32,800	17,800
			300 × 995 × 32	T-20	167,600	T-20	135,600	T-20	125,500	T-14	117,300	T-14	104,100	35,900	20,600
			300 × 995 × 38	T-20	196,100	T-20	158,900	T-20	146,600	T-20	135,600	T-20	119,300	38,700	22,800
	35	300	350 × 995 × 20	T-2	133,800	T-歩	114,700	T-歩	108,100	T-歩	99,900	T-歩	87,000	31,500	16,400
			350 × 995 × 25	T-2	166,800	T-2	134,000	T-2	124,300	T-2	115,400	T-歩	101,400	33,700	17,800
			350 × 995 × 32	T-20	196,300	T-14	159,600	T-14	150,800	T-14	136,200	T-2	120,100	36,900	20,600
			350 × 995 × 38	T-20	228,600	T-20	187,600	T-20	177,400	T-14	158,200	T-14	137,600	39,900	22,800
	40	350	400 × 995 × 20	T-2	147,000	T-歩	127,600	T-歩	122,300	T-歩	112,800	T-歩	98,500	32,300	16,400
			400 × 995 × 25	T-2	182,500	T-2	147,700	T-歩	136,800	T-歩	125,400	T-歩	110,900	34,600	17,800
			400 × 995 × 32	T-14	217,200	T-14	175,200	T-6	167,400	T-2	149,500	T-2	131,400	38,100	20,600
			400 × 995 × 38	T-20	254,200	T-14	205,900	T-14	196,700	T-14	177,700	T-6	151,200	41,000	22,800
	45	400	450 × 995 × 20	T-歩	176,900	T-歩	155,700	T-歩	142,900	T-歩	131,200	T-歩	108,100	33,100	16,400
			450 × 995 × 25	T-2	208,900	T-歩	166,500	T-歩	153,900	T-歩	142,000	T-歩	124,200	35,400	17,800
			450 × 995 × 32	T-14	245,200	T-2	196,100	T-2	188,800	T-2	167,800	T-2	147,000	38,900	20,600
	50	450	450 × 995 × 38	T-20	287,000	T-14	231,800	T-14	222,600	T-6	193,500	T-6	169,200	42,100	22,800
			500 × 995 × 20	T-歩	188,000	T-歩	160,400	T-歩	148,300	T-歩	136,200	T-歩	117,900	33,900	16,400
500 × 995 × 25			T-2	226,100	T-歩	179,600	T-歩	171,500	T-歩	155,700	T-歩	133,800	36,400	17,800	
500 × 995 × 32			T-6	266,200	T-2	210,900	T-2	196,300	T-2	180,900	T-2	158,600	40,000	20,600	
			500 × 995 × 38	T-14	311,500	T-14	246,700	T-2	227,800	T-2	209,500	T-2	182,500	43,400	22,800

■ボルト固定式 側溝用グレーチング Iバータイプ ローレット型

符号	呼び	溝幅	寸法		鑑定価								受枠定価	枠延長料金 (1m分)	
					ピッチ (mm)										
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重			30
DHB-R	15	100	150 × 995 × 20	T-20	72,100	T-20	63,900	T-20	60,200	T-20	54,500	T-20	45,400	28,300	16,400
			200 × 995 × 20	T-20	81,300	T-20	68,700	T-14	63,800	T-14	61,400	T-6	53,300	29,000	16,400
	20	150	200 × 995 × 25	T-20	100,600	T-20	82,700	T-20	81,600	T-20	72,900	T-20	63,000	31,100	17,800
			250 × 995 × 20	T-14	100,700	T-2	85,900	T-2	77,700	T-2	74,100	T-2	63,400	29,900	16,400
			250 × 995 × 25	T-20	123,300	T-14	102,100	T-14	94,900	T-6	88,400	T-2	78,800	31,900	17,800
	25	200	250 × 995 × 32	T-20	153,700	T-20	122,300	T-20	111,600	T-20	104,100	T-20	92,500	34,900	20,600
			250 × 995 × 38	T-20	180,400	T-20	142,900	T-20	126,900	T-20	119,300	T-20	105,600	37,500	22,800
			300 × 995 × 20	T-2	114,100	T-2	96,900	T-2	87,600	T-2	85,300	T-歩	76,400	30,700	16,400
	30	250	300 × 995 × 25	T-14	142,700	T-2	112,100	T-2	107,300	T-2	97,100	T-2	87,800	32,800	17,800
			300 × 995 × 32	T-20	167,600	T-20	135,600	T-20	125,500	T-14	117,300	T-14	104,100	35,900	20,600
			300 × 995 × 38	T-20	196,100	T-20	158,900	T-20	146,600	T-20	135,600	T-20	119,300	38,700	22,800
	35	300	350 × 995 × 20	T-2	133,800	T-歩	114,700	T-歩	108,100	T-歩	99,900	T-歩	87,000	31,500	16,400
			350 × 995 × 25	T-2	166,800	T-2	134,000	T-2	124,300	T-2	115,400	T-歩	101,400	33,700	17,800
			350 × 995 × 32	T-20	196,300	T-14	159,600	T-14	150,800	T-14	136,200	T-2	120,100	36,900	20,600
			350 × 995 × 38	T-20	228,600	T-20	187,600	T-20	177,400	T-14	158,200	T-14	137,600	39,900	22,800
	40	350	400 × 995 × 20	T-2	147,000	T-歩	127,600	T-歩	122,300	T-歩	112,800	T-歩	98,500	32,300	16,400
			400 × 995 × 25	T-2	182,500	T-2	147,700	T-歩	136,800	T-歩	125,400	T-歩	110,900	34,600	17,800
			400 × 995 × 32	T-14	217,200	T-14	175,200	T-6	167,400	T-2	149,500	T-2	131,400	38,100	20,600
			400 × 995 × 38	T-20	254,200	T-14	205,900	T-14	196,700	T-14	177,700	T-6	151,200	41,000	22,800
	45	400	450 × 995 × 20	T-歩	176,900	T-歩	155,700	T-歩	142,900	T-歩	131,200	T-歩	108,100	33,100	16,400
			450 × 995 × 25	T-2	208,900	T-歩	166,500	T-歩	153,900	T-歩	142,000	T-歩	124,200	35,400	17,800
			450 × 995 × 32	T-14	245,200	T-2	196,100	T-2	188,800	T-2	167,800	T-2	147,000	38,900	20,600
	50	450	450 × 995 × 38	T-20	287,000	T-14	231,800	T-14	222,600	T-6	193,500	T-6	169,200	42,100	22,800
			500 × 995 × 20	T-歩	188,000	T-歩	160,400	T-歩	148,300	T-歩	136,200	T-歩	117,900	33,900	16,400
500 × 995 × 25			T-2	226,100	T-歩	179,600	T-歩	171,500	T-歩	155,700	T-歩	133,800	36,400	17,800	
500 × 995 × 32			T-6	266,200	T-2	210,900	T-2	196,300	T-2	180,900	T-2	158,600	40,000	20,600	
			500 × 995 × 38	T-14	311,500	T-14	246,700	T-2	227,800	T-2	209,500	T-2	182,500	43,400	22,800


2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

■U字溝グレーチングバー Iバータイプ

符号	呼び	溝幅	寸法		ピッチ (mm)								
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重	30
DHU 	12	120	110 × 1000 × 20	T-14	62,900	T-14	50,800	T-14	48,400	T-14	45,600	T-14	38,500
			140 × 1000 × 20	T-14	66,100	T-14	53,400	T-14	52,700	T-14	51,100	T-14	44,900
	15	150	140 × 1000 × 25	T-14	73,900	T-14	59,800	T-14	56,800	T-14	55,800	T-14	46,900
			170 × 1000 × 20	T-14	73,500	T-14	61,300	T-14	60,600	T-14	56,300	T-6	49,200
	18	180	170 × 1000 × 25	T-14	82,600	T-14	68,600	T-14	68,100	T-14	63,200	T-14	51,700
			230 × 1000 × 20	T-14	96,500	T-2	79,600	T-2	79,000	T-2	73,500	T-2	59,700
	24	240	230 × 1000 × 25	T-14	111,900	T-14	90,700	T-14	90,200	T-6	83,500	T-2	67,500
			230 × 1000 × 32	T-14	140,200	T-14	113,300	T-14	105,300	T-14	96,900	T-14	83,300
			290 × 1000 × 20	T-2	113,400	T-2	93,500	T-2	90,200	T-2	83,500	T-歩	67,500
	30	300	290 × 1000 × 25	T-14	133,800	T-2	107,500	T-2	103,600	T-2	92,500	T-2	78,900
			290 × 1000 × 32	T-14	164,700	T-14	131,400	T-14	123,300	T-14	113,100	T-14	96,500
			350 × 1000 × 20	T-2	138,800	T-2	112,300	T-2	109,500	T-2	95,500	T-歩	81,100
36	360	350 × 1000 × 25	T-14	157,600	T-2	126,400	T-2	125,700	T-2	104,100	T-2	91,900	
		350 × 1000 × 32	T-14	201,800	T-14	158,600	T-14	149,200	T-6	134,800	T-2	114,300	
		350 × 1000 × 38	T-14	239,900	T-14	185,100	T-14	182,100	T-14	154,700	T-14	126,000	

■U字溝グレーチングバー Iバータイプ ローレット型


符号	呼び	溝幅	寸法		ピッチ (P)								
			幅×長さ×高さ	耐荷重	15	耐荷重	20	耐荷重	22	耐荷重	25	耐荷重	30
DHU-R 	12	120	110 × 1000 × 20	T-14	62,900	T-14	50,800	T-14	48,400	T-14	45,600	T-14	38,500
			140 × 1000 × 20	T-14	66,100	T-14	53,400	T-14	52,700	T-14	51,100	T-14	44,900
	15	150	140 × 1000 × 25	T-14	73,900	T-14	59,800	T-14	56,800	T-14	55,800	T-14	46,900
			170 × 1000 × 20	T-14	73,500	T-14	61,300	T-14	60,600	T-14	56,300	T-6	49,200
	18	180	170 × 1000 × 25	T-14	82,600	T-14	68,600	T-14	68,100	T-14	63,200	T-14	51,700
			230 × 1000 × 20	T-14	96,500	T-2	79,600	T-2	79,000	T-2	73,500	T-2	59,700
	24	240	230 × 1000 × 25	T-14	111,900	T-14	90,700	T-14	90,200	T-6	83,500	T-2	67,500
			230 × 1000 × 32	T-14	140,200	T-14	113,300	T-14	105,300	T-14	96,900	T-14	83,300
			290 × 1000 × 20	T-2	113,400	T-2	93,500	T-2	90,200	T-2	83,500	T-歩	67,500
	30	300	290 × 1000 × 25	T-14	133,800	T-2	107,500	T-2	103,600	T-2	92,500	T-2	78,900
			290 × 1000 × 32	T-14	164,700	T-14	131,400	T-14	123,300	T-14	113,100	T-14	96,500
			350 × 1000 × 20	T-2	138,800	T-2	112,300	T-2	109,500	T-2	95,500	T-歩	81,100
36	360	350 × 1000 × 25	T-14	157,600	T-2	126,400	T-2	125,700	T-2	104,100	T-2	91,900	
		350 × 1000 × 32	T-14	201,800	T-14	165,100	T-14	149,800	T-6	135,500	T-2	114,300	
		350 × 1000 × 38	T-14	239,900	T-14	185,100	T-14	182,100	T-14	154,700	T-14	126,000	

2023年4月版(2023.2制定) グレーチング&ピットカバー 定価表

ガイドレ株式会社

※受枠Bタイプは、別途お見積りとなります。

■フラットバー ます蓋用グレーチング

符号	呼び	ます穴	寸法		蓋定価										受枠定価
			幅×長さ×高さ	耐荷重	ピッチ(mm)										
					13	15	20	25	30	MBNタイプ					
DFM 	25	□ 200	250 × 250 × 20	T-14	38,400	T-14	33,400	T-2	26,700	T-2	22,200	T-2	20,200	12,800	
			250 × 250 × 25	T-20	43,500	T-20	37,700	T-14	29,600	T-14	25,100	T-6	23,600	13,900	
			250 × 250 × 32	T-20	52,500	T-20	45,800	T-20	36,500	T-20	29,600	T-20	27,900	15,200	
			250 × 250 × 38	T-20	58,900	T-20	52,200	T-20	41,400	T-20	34,200	T-20	29,600	16,400	
	30	□ 250	300 × 300 × 20	T-6	44,100	T-2	36,300	T-2	29,500	T-2	25,100	T-歩	21,800	15,500	
			300 × 300 × 25	T-14	52,000	T-14	44,300	T-6	35,700	T-2	28,600	T-2	25,400	16,700	
			300 × 300 × 32	T-20	62,100	T-20	52,900	T-20	42,200	T-14	36,100	T-14	29,600	17,800	
			300 × 300 × 38	T-20	82,700	T-20	69,000	T-20	54,700	T-20	46,900	T-14	40,100	19,500	
	35	□ 300	350 × 350 × 20	T-2	60,100	T-2	49,800	T-歩	39,900	T-歩	34,200	T-歩	29,500	17,800	
			350 × 350 × 25	T-14	71,200	T-6	59,300	T-2	47,300	T-2	40,300	T-2	35,000	19,500	
			350 × 350 × 32	T-20	88,100	T-20	75,300	T-14	58,200	T-6	49,300	T-2	42,700	20,600	
			350 × 350 × 38	T-20	101,800	T-20	84,700	T-20	67,700	T-14	58,000	T-14	49,800	22,500	
	40	□ 350	350 × 350 × 50	T-20	141,400	T-20	121,900	T-20	94,700	T-20	77,800	T-20	68,700	24,700	
			400 × 400 × 20	T-2	77,700	T-2	64,800	T-歩	51,400	T-歩	43,900	T-歩	37,400	20,200	
			400 × 400 × 25	T-2	91,100	T-2	77,800	T-2	59,700	T-歩	52,200	T-歩	44,300	22,000	
			400 × 400 × 32	T-14	110,800	T-14	93,300	T-6	73,600	T-2	62,100	T-2	54,000	23,600	
	45	□ 400	400 × 400 × 38	T-20	130,200	T-20	109,500	T-14	94,700	T-14	69,900	T-2	58,700	25,300	
			400 × 400 × 50	T-20	177,000	T-20	152,600	T-20	117,900	T-20	97,600	T-20	83,700	28,300	
			450 × 450 × 20	T-2	99,300	T-歩	81,700	T-歩	64,800	T-歩	54,900	T-歩	47,300	23,000	
			450 × 450 × 25	T-2	118,200	T-2	98,300	T-2	77,000	T-歩	65,000	T-歩	56,200	24,500	
	50	□ 450	450 × 450 × 32	T-14	141,200	T-14	116,400	T-2	91,900	T-2	77,900	T-2	67,500	26,300	
			450 × 450 × 38	T-20	164,600	T-14	137,300	T-14	107,600	T-2	89,600	T-2	78,400	28,600	
			450 × 450 × 50	T-20	212,200	T-20	178,300	T-20	140,600	T-20	118,500	T-14	96,000	31,600	
			500 × 500 × 20	T-歩	121,100	T-歩	99,200	T-歩	78,000	T-歩	66,100	T-歩	58,000	25,300	
	55	□ 500	500 × 500 × 25	T-2	145,200	T-2	119,700	T-歩	94,100	T-歩	79,000	T-歩	68,300	27,000	
			500 × 500 × 32	T-6	173,400	T-2	141,900	T-2	112,100	T-2	94,600	T-歩	82,400	29,500	
			500 × 500 × 38	T-14	203,200	T-14	167,600	T-6	131,400	T-2	110,700	T-2	94,900	31,600	
			500 × 500 × 50	T-20	262,100	T-20	218,000	T-20	172,800	T-14	145,000	T-14	118,500	35,000	
	60	□ 550	550 × 550 × 20	T-歩	138,000	T-歩	115,200	T-歩	89,700	T-歩	72,300	T-歩	63,400	32,800	
			550 × 550 × 25	T-2	171,000	T-2	142,700	T-歩	110,500	T-歩	88,700	T-歩	78,900	34,500	
			550 × 550 × 32	T-2	216,000	T-2	180,300	T-2	139,700	T-2	112,800	T-歩	99,400	37,000	
			550 × 550 × 38	T-14	253,700	T-14	211,500	T-2	164,200	T-2	132,800	T-2	116,500	39,400	
	65	□ 600	550 × 550 × 50	T-20	326,500	T-20	271,900	T-14	211,000	T-14	170,400	T-6	150,000	44,000	
			600 × 600 × 20	T-歩	163,300	T-歩	134,900	T-歩	107,300	T-歩	85,200	T-歩	72,600	34,000	
			600 × 600 × 25	T-2	202,000	T-歩	167,400	T-歩	132,200	T-歩	105,300	T-歩	89,900	36,500	
			600 × 600 × 32	T-2	255,700	T-2	211,500	T-2	167,400	T-歩	132,900	T-歩	113,400	38,600	
	65	□ 600	600 × 600 × 38	T-14	300,300	T-6	248,700	T-2	196,300	T-2	156,400	T-2	133,100	41,900	
			600 × 600 × 50	T-20	385,900	T-20	319,200	T-14	252,900	T-6	200,700	T-2	171,200	46,900	
			650 × 650 × 20	T-歩	190,900	T-歩	157,000	T-歩	122,700	T-歩	102,600	T-歩	85,300	35,800	
			650 × 650 × 25	T-歩	235,900	T-歩	194,000	T-歩	151,600	T-歩	127,000	T-歩	105,700	38,200	
	65	□ 600	650 × 650 × 32	T-2	298,400	T-2	245,500	T-2	191,900	T-歩	160,200	T-歩	133,800	40,800	
			650 × 650 × 38	T-6	350,200	T-2	288,000	T-2	225,500	T-2	187,800	T-歩	157,000	43,800	
			650 × 650 × 50	T-20	450,800	T-20	370,400	T-14	289,900	T-2	241,800	T-2	201,800	49,600	

2023年4月版(2023.2制定) グレーチング&ピットカバー 定価表

ガイドレ株式会社

※受枠Bタイプは、別途お見積りとなります。

■フラットバー ローレット型 ます蓋用グレーチング


符号	呼び	ます穴	蓋定価											受枠定価	
			ピッチ(P)												
			幅×長さ×高さ	耐荷重	13	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重	30		MBNタイプ
DFM-R 	25	□ 200	250 × 250 × 20	T-14	56,600	T-14	49,800	T-2	40,000	T-2	33,400	T-2	29,500	12,800	
			250 × 250 × 25	T-20	65,500	T-20	56,800	T-14	46,100	T-14	37,500	T-6	35,100	13,900	
			250 × 250 × 32	T-20	79,700	T-20	68,600	T-20	54,900	T-20	45,100	T-20	41,400	15,200	
			250 × 250 × 38	T-20	88,700	T-20	77,800	T-20	62,100	T-20	51,400	T-20	47,100	16,400	
	30	□ 250	300 × 300 × 20	T-6	62,800	T-2	53,300	T-2	42,400	T-2	36,300	T-歩	29,500	15,500	
			300 × 300 × 25	T-14	71,600	T-14	59,700	T-6	47,500	T-2	42,000	T-2	35,700	16,700	
			300 × 300 × 32	T-20	87,600	T-20	72,400	T-20	58,700	T-14	50,200	T-14	42,400	17,800	
			300 × 300 × 38	T-20	101,200	T-20	86,200	T-20	66,100	T-20	56,800	T-14	48,900	19,500	
	35	□ 300	350 × 350 × 20	T-2	90,000	T-2	74,100	T-歩	59,100	T-歩	51,000	T-歩	44,100	17,800	
			350 × 350 × 25	T-14	100,400	T-6	81,100	T-2	68,800	T-2	55,800	T-2	49,900	19,500	
			350 × 350 × 32	T-20	121,500	T-20	100,700	T-14	80,700	T-6	68,800	T-2	59,000	20,600	
			350 × 350 × 38	T-20	136,300	T-20	114,600	T-20	91,900	T-14	75,300	T-14	64,800	22,500	
	40	□ 350	350 × 350 × 50	T-20	173,800	T-20	148,800	T-20	116,400	T-20	94,700	T-20	83,800	24,700	
			400 × 400 × 20	T-2	111,900	T-2	96,000	T-歩	74,100	T-歩	62,900	T-歩	53,400	20,200	
			400 × 400 × 25	T-2	127,700	T-2	110,200	T-2	87,200	T-歩	71,100	T-歩	59,100	22,000	
			400 × 400 × 32	T-14	154,800	T-14	132,100	T-6	102,100	T-2	86,600	T-2	74,400	23,600	
	45	□ 400	400 × 400 × 38	T-20	170,400	T-20	148,200	T-14	115,100	T-14	90,000	T-2	81,800	25,300	
			400 × 400 × 50	T-20	218,100	T-20	189,500	T-20	143,000	T-20	118,500	T-20	105,300	28,300	
			450 × 450 × 20	T-2	134,500	T-歩	105,600	T-歩	91,900	T-歩	78,800	T-歩	59,700	23,000	
			450 × 450 × 25	T-2	153,500	T-2	120,900	T-2	104,200	T-歩	88,700	T-歩	69,600	24,500	
	50	□ 450	450 × 450 × 32	T-14	184,700	T-14	153,900	T-2	122,400	T-2	105,600	T-2	82,400	26,300	
			450 × 450 × 38	T-20	211,700	T-14	182,000	T-14	139,800	T-2	118,000	T-2	94,100	28,600	
			450 × 450 × 50	T-20	263,500	T-20	222,000	T-20	173,300	T-20	150,000	T-14	117,000	31,600	
			500 × 500 × 20	T-歩	175,300	T-歩	147,700	T-歩	117,300	T-歩	96,800	T-歩	75,600	25,300	
	55	□ 500	500 × 500 × 25	T-2	190,100	T-2	155,100	T-歩	127,200	T-歩	102,500	T-歩	87,800	27,000	
			500 × 500 × 32	T-6	234,000	T-2	188,400	T-2	154,100	T-2	132,400	T-歩	106,500	29,500	
			500 × 500 × 38	T-14	261,600	T-14	217,600	T-6	171,600	T-2	146,900	T-2	116,100	31,600	
			500 × 500 × 50	T-20	328,800	T-20	273,200	T-20	216,000	T-14	183,100	T-14	147,800	35,000	
	60	□ 550	550 × 550 × 20	T-歩	195,900	T-歩	163,700	T-歩	127,000	T-歩	102,500	T-歩	90,200	32,800	
			550 × 550 × 25	T-2	227,700	T-2	190,300	T-歩	147,600	T-歩	118,400	T-歩	104,700	34,500	
			550 × 550 × 32	T-2	288,200	T-2	240,000	T-2	186,900	T-2	150,800	T-歩	132,700	37,000	
			550 × 550 × 38	T-14	338,500	T-14	282,100	T-2	218,700	T-2	176,800	T-2	155,300	39,400	
	65	□ 600	550 × 550 × 50	T-20	435,900	T-20	362,900	T-14	281,700	T-14	227,200	T-6	200,100	44,000	
			600 × 600 × 20	T-歩	218,300	T-歩	180,300	T-歩	142,900	T-歩	113,200	T-歩	96,900	34,000	
			600 × 600 × 25	T-2	269,800	T-歩	223,100	T-歩	176,000	T-歩	139,900	T-歩	119,800	36,500	
			600 × 600 × 32	T-2	341,300	T-2	282,100	T-2	223,300	T-歩	177,600	T-歩	151,200	38,600	
	65	□ 600	600 × 600 × 38	T-14	400,900	T-6	331,500	T-2	262,400	T-2	208,300	T-2	178,200	41,900	
			600 × 600 × 50	T-20	515,700	T-20	425,900	T-14	337,400	T-6	267,700	T-2	227,800	46,900	
			650 × 650 × 20	T-歩	254,600	T-歩	209,600	T-歩	164,100	T-歩	136,400	T-歩	114,300	35,800	
			650 × 650 × 25	T-歩	314,900	T-歩	258,600	T-歩	202,400	T-歩	169,000	T-歩	140,600	38,200	
65	□ 600	650 × 650 × 32	T-2	398,700	T-2	327,600	T-2	256,300	T-歩	214,100	T-歩	178,300	40,800		
		650 × 650 × 38	T-6	468,000	T-2	384,900	T-2	301,300	T-2	251,000	T-歩	209,600	43,800		
		650 × 650 × 50	T-20	601,700	T-20	494,200	T-14	386,800	T-2	322,800	T-2	269,300	49,600		

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受枠Bタイプは、別途お見積りとなります。

■ます蓋用グレーチング Iバータイプ


符号	呼び	ます穴	寸法		蓋定価							受枠定価	
			幅×長さ×高さ	耐荷重	ピッチ(mm)					耐荷重	30		MBNタイプ
					15	耐荷重	20	耐荷重	25				
DHM 	25	□ 200	250 × 250 × 15	T-6	28,400	T-2	22,900	T-2	19,700	T-2	17,800	12,400	
			250 × 250 × 20	T-20	31,600	T-14	25,300	T-6	21,100	T-2	19,500	12,800	
			250 × 250 × 25	T-20	36,300	T-20	28,400	T-14	23,700	T-14	22,200	13,900	
			250 × 250 × 32	T-20	43,400	T-20	35,000	T-20	28,400	T-20	26,600	15,200	
			250 × 250 × 38	T-20	49,200	T-20	39,500	T-20	32,400	T-20	28,400	16,400	
	30	□ 250	300 × 300 × 15	T-2	30,700	T-2	24,600	T- 歩	21,200	T- 歩	19,300	14,800	
			300 × 300 × 20	T-14	34,200	T-2	27,900	T-2	23,700	T-2	20,900	15,500	
			300 × 300 × 25	T-20	42,200	T-14	33,600	T-6	28,500	T-2	24,400	16,700	
			300 × 300 × 32	T-20	49,900	T-20	40,000	T-20	34,100	T-20	28,400	17,800	
			300 × 300 × 38	T-20	65,600	T-20	51,700	T-20	44,300	T-20	38,200	19,500	
	35	□ 300	350 × 350 × 15	T-2	39,900	T- 歩	33,500	T- 歩	28,300	T- 歩	24,400	17,200	
			350 × 350 × 20	T-2	47,100	T-2	37,500	T-2	32,400	T- 歩	28,300	17,800	
			350 × 350 × 25	T-14	56,700	T-2	45,100	T-2	38,500	T-2	32,900	19,500	
			350 × 350 × 32	T-20	71,000	T-20	55,100	T-20	46,900	T-14	40,900	20,600	
			350 × 350 × 38	T-20	80,300	T-20	64,000	T-20	54,700	T-20	47,100	22,500	
	40	□ 350	400 × 400 × 15	T- 歩	49,900	T- 歩	41,200	T- 歩	34,100	T- 歩	29,300	19,500	
			400 × 400 × 20	T-2	61,300	T- 歩	48,400	T- 歩	41,400	T- 歩	35,300	20,200	
			400 × 400 × 25	T-6	73,600	T-2	56,800	T-2	49,200	T-2	42,200	22,000	
			400 × 400 × 32	T-20	88,300	T-20	69,600	T-14	59,100	T-6	51,400	23,600	
			400 × 400 × 38	T-20	103,700	T-20	90,200	T-20	66,300	T-14	55,400	25,300	
	45	□ 400	450 × 450 × 15	T- 歩	63,600	T- 歩	51,900	T- 歩	43,400	T- 歩	36,800	21,900	
			450 × 450 × 20	T-2	77,700	T- 歩	61,300	T- 歩	52,200	T- 歩	45,100	23,000	
			450 × 450 × 25	T-2	93,400	T-2	73,500	T-2	61,700	T- 歩	53,300	24,500	
			450 × 450 × 32	T-20	110,200	T-14	87,600	T-6	73,900	T-2	63,900	26,300	
			450 × 450 × 38	T-20	130,300	T-20	102,500	T-14	85,000	T-14	74,500	28,600	
	50	□ 450	500 × 500 × 15	T- 歩	76,400	T- 歩	63,600	T- 歩	53,400	T- 歩	44,700	24,300	
			500 × 500 × 20	T-2	93,600	T- 歩	74,100	T- 歩	62,900	T- 歩	54,700	25,300	
			500 × 500 × 25	T-2	113,300	T-2	89,500	T- 歩	75,300	T- 歩	64,800	27,000	
			500 × 500 × 32	T-14	134,800	T-14	106,300	T-2	89,700	T-2	77,900	29,500	
			500 × 500 × 38	T-20	158,800	T-14	124,900	T-14	105,000	T-6	90,500	31,600	
	55	□ 500	550 × 550 × 15	T- 歩	95,500	T- 歩	79,400	T- 歩	66,600	T- 歩	55,900	31,700	
			550 × 550 × 20	T- 歩	117,400	T- 歩	93,000	T- 歩	78,400	T- 歩	68,500	32,800	
			550 × 550 × 25	T-2	142,100	T- 歩	111,700	T- 歩	94,000	T- 歩	81,200	34,500	
			550 × 550 × 32	T-14	168,600	T-6	132,900	T-2	112,400	T-2	97,700	37,000	
			550 × 550 × 38	T-20	198,500	T-14	156,200	T-6	131,400	T-2	113,300	39,400	
	60	□ 550	600 × 600 × 15	T- 歩	119,400	T- 歩	99,400	T- 歩	83,400	T- 歩	69,900	33,000	
			600 × 600 × 20	T- 歩	146,700	T- 歩	116,400	T- 歩	98,100	T- 歩	85,800	34,000	
			600 × 600 × 25	T-2	177,900	T- 歩	139,500	T- 歩	117,700	T- 歩	101,400	36,500	
			600 × 600 × 32	T-14	210,800	T-2	166,400	T-2	140,600	T-2	122,100	38,600	
			600 × 600 × 38	T-20	248,300	T-14	195,400	T-2	164,300	T-2	141,700	41,900	
65	□ 600	650 × 650 × 15	T- 歩	149,200	T- 歩	124,300	T- 歩	104,200	T- 歩	87,500	34,800		
		650 × 650 × 20	T- 歩	183,500	T- 歩	145,200	T- 歩	122,600	T- 歩	107,200	35,800		
		650 × 650 × 25	T-2	222,300	T- 歩	174,500	T- 歩	147,000	T- 歩	127,100	38,200		
		650 × 650 × 32	T-6	263,600	T-2	207,900	T-2	175,700	T-2	152,600	40,800		
		650 × 650 × 38	T-14	310,400	T-6	244,300	T-2	205,400	T-2	177,100	43,800		

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受枠Bタイプは、別途お見積りとなります。

■ます蓋用グレーチング バータイプ ローレット型

符号	呼び	ます穴	寸法		蓋定価							受枠定価	
			幅×長さ×高さ	耐荷重	ピッチ(mm)					耐荷重	30		MBNタイプ
					15	耐荷重	20	耐荷重	25				
DHM-R 	25	□ 200	250 × 250 × 15	T-6	34,000	T-2	27,500	T-2	23,600	T-2	21,400	12,400	
			250 × 250 × 20	T-20	38,100	T-14	30,300	T-6	25,200	T-2	23,400	12,800	
			250 × 250 × 25	T-20	43,500	T-20	34,000	T-14	28,600	T-14	26,600	13,900	
			250 × 250 × 32	T-20	52,000	T-20	42,000	T-20	34,000	T-20	31,800	15,200	
			250 × 250 × 38	T-20	59,000	T-20	47,500	T-20	38,900	T-20	34,000	16,400	
	30	□ 250	300 × 300 × 15	T-2	36,900	T-2	29,500	T-歩	25,400	T-歩	23,000	14,800	
			300 × 300 × 20	T-14	41,100	T-2	33,600	T-2	28,600	T-2	24,900	15,500	
			300 × 300 × 25	T-20	50,800	T-14	40,300	T-6	32,500	T-2	29,300	16,700	
			300 × 300 × 32	T-20	60,100	T-20	48,000	T-20	41,000	T-20	34,000	17,800	
			300 × 300 × 38	T-20	78,800	T-20	62,100	T-20	53,200	T-20	45,700	19,500	
	35	□ 300	350 × 350 × 15	T-2	47,900	T-歩	40,100	T-歩	33,900	T-歩	29,300	17,200	
			350 × 350 × 20	T-2	56,600	T-2	45,100	T-2	38,900	T-歩	33,900	17,800	
			350 × 350 × 25	T-14	68,100	T-2	54,100	T-2	46,200	T-2	39,500	19,500	
			350 × 350 × 32	T-20	85,200	T-20	66,100	T-20	56,300	T-14	49,100	20,600	
			350 × 350 × 38	T-20	96,400	T-20	76,900	T-20	65,600	T-20	56,600	22,500	
	40	□ 350	400 × 400 × 15	T-歩	60,100	T-歩	49,400	T-歩	41,000	T-歩	35,100	19,500	
			400 × 400 × 20	T-2	73,500	T-歩	58,100	T-歩	49,700	T-歩	42,400	20,200	
			400 × 400 × 25	T-6	88,300	T-2	68,300	T-2	59,000	T-2	50,800	22,000	
			400 × 400 × 32	T-20	105,900	T-20	83,600	T-14	71,000	T-6	61,700	23,600	
			400 × 400 × 38	T-20	124,400	T-20	108,200	T-20	79,400	T-14	66,400	25,300	
	45	□ 400	450 × 450 × 15	T-歩	76,200	T-歩	62,200	T-歩	52,000	T-歩	44,100	21,900	
			450 × 450 × 20	T-2	93,200	T-歩	73,500	T-歩	62,600	T-歩	54,100	23,000	
			450 × 450 × 25	T-2	112,100	T-2	88,200	T-2	74,100	T-歩	63,900	24,500	
			450 × 450 × 32	T-20	132,200	T-14	105,000	T-6	88,700	T-2	76,600	26,300	
			450 × 450 × 38	T-20	156,400	T-20	122,900	T-14	102,100	T-14	89,600	28,600	
	50	□ 450	500 × 500 × 15	T-歩	91,700	T-歩	76,200	T-歩	64,000	T-歩	53,700	24,300	
			500 × 500 × 20	T-2	112,400	T-歩	88,800	T-歩	75,500	T-歩	65,600	25,300	
			500 × 500 × 25	T-2	136,100	T-2	107,300	T-歩	90,200	T-歩	77,800	27,000	
			500 × 500 × 32	T-14	161,800	T-14	127,700	T-2	107,500	T-2	93,400	29,500	
			500 × 500 × 38	T-20	190,500	T-14	149,900	T-14	126,100	T-6	108,500	31,600	
	55	□ 500	550 × 550 × 15	T-歩	114,600	T-歩	95,400	T-歩	80,000	T-歩	66,900	31,700	
			550 × 550 × 20	T-歩	141,000	T-歩	111,600	T-歩	94,100	T-歩	82,300	32,800	
			550 × 550 × 25	T-2	170,600	T-歩	134,000	T-歩	112,900	T-歩	97,500	34,500	
			550 × 550 × 32	T-14	202,400	T-6	159,500	T-2	134,900	T-2	117,300	37,000	
			550 × 550 × 38	T-20	238,200	T-14	187,500	T-6	157,600	T-2	136,100	39,400	
	60	□ 550	600 × 600 × 15	T-歩	143,300	T-歩	119,300	T-歩	100,100	T-歩	83,700	33,000	
			600 × 600 × 20	T-歩	176,100	T-歩	139,600	T-歩	117,700	T-歩	102,800	34,000	
			600 × 600 × 25	T-2	213,300	T-歩	167,400	T-歩	141,200	T-歩	121,900	36,500	
			600 × 600 × 32	T-14	252,900	T-2	199,700	T-2	168,800	T-2	146,500	38,600	
			600 × 600 × 38	T-20	298,100	T-14	234,400	T-2	197,200	T-2	169,900	41,900	
	65	□ 600	650 × 650 × 15	T-歩	179,100	T-歩	149,100	T-歩	125,000	T-歩	104,900	34,800	
			650 × 650 × 20	T-歩	220,300	T-歩	174,200	T-歩	147,100	T-歩	128,600	35,800	
			650 × 650 × 25	T-2	266,700	T-歩	209,500	T-歩	176,400	T-歩	152,500	38,200	
			650 × 650 × 32	T-6	316,300	T-2	249,500	T-2	210,800	T-2	183,200	40,800	
			650 × 650 × 38	T-14	372,400	T-6	293,100	T-2	246,700	T-2	212,500	43,800	

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

※受枠Bタイプは、別途お見積りとなります。

■ます蓋用グレーチング フラットバー4mmタイプ

符号	呼び	ます穴	蓋定価										受枠定価		
			寸法		ピッチ(mm)									MBNタイプ	
			幅×長さ×高さ	耐荷重	10	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重			30
DFG-M-4 	35	□ 300	350 × 350 × 20	T-2	60,600	T-2	37,300	T- 歩	32,600	T- 歩	24,900	T- 歩	21,600	16,800	
			350 × 350 × 25	T-14	73,000	T-6	46,200	T-2	40,200	T-2	30,500	T-2	26,500	18,400	
			350 × 350 × 32	T-20	93,900	T-20	60,600	T-14	52,300	T-6	38,600	T-2	33,400	19,400	
			350 × 350 × 38	T-20	107,600	T-20	68,600	T-20	60,200	T-14	45,400	T-14	39,000	21,100	
	40	□ 350	400 × 400 × 20	T-2	76,200	T-2	47,800	T- 歩	41,000	T- 歩	31,900	T- 歩	27,500	19,100	
			400 × 400 × 25	T-14	92,300	T-2	58,700	T-2	50,600	T- 歩	38,100	T- 歩	33,400	20,800	
			400 × 400 × 32	T-20	114,000	T-14	73,000	T-6	63,100	T-2	47,400	T-2	41,800	22,300	
			400 × 400 × 38	T-20	170,500	T-20	86,200	T-14	78,300	T-14	58,700	T-2	43,000	23,900	
	45	□ 400	450 × 450 × 20	T-2	104,700	T- 歩	65,400	T- 歩	57,000	T- 歩	42,500	T- 歩	36,100	21,700	
			450 × 450 × 25	T-6	117,900	T-2	80,300	T-2	70,200	T- 歩	52,600	T- 歩	40,900	23,100	
			450 × 450 × 32	T-20	156,000	T-14	100,300	T-2	87,500	T-2	65,100	T-2	55,800	24,800	
			450 × 450 × 38	T-20	218,700	T-14	117,900	T-14	102,700	T-2	73,000	T-2	59,000	27,000	
	50	□ 450	450 × 450 × 50	T-20	289,200	T-20	148,100	T-20	132,900	T-20	104,700	T-20	74,700	66,600	26,700
			500 × 500 × 20	T-2	119,600	T- 歩	74,700	T- 歩	64,600	T- 歩	48,600	T- 歩	42,500	23,900	
			500 × 500 × 25	T-2	144,000	T-2	90,700	T- 歩	79,100	T- 歩	59,400	T- 歩	51,400	25,500	
			500 × 500 × 32	T-14	178,100	T-2	112,800	T-2	98,000	T-2	73,400	T- 歩	63,800	27,800	
	55	□ 500	500 × 500 × 38	T-20	204,200	T-14	132,000	T-6	115,500	T-2	87,200	T-2	74,700	29,800	
			500 × 500 × 50	T-20	327,600	T-20	176,900	T-20	153,600	T-14	115,500	T-14	100,300	33,000	
			550 × 550 × 20	T- 歩	178,100	T- 歩	132,000	T- 歩	110,800	T- 歩	75,100	T- 歩	60,600	30,900	
			550 × 550 × 25	T-2	203,000	T-2	133,700	T- 歩	122,000	T- 歩	86,700	T- 歩	71,500	32,500	
	65	□ 600	550 × 550 × 32	T-14	236,600	T-2	173,000	T-2	140,000	T-2	97,500	T- 歩	87,900	34,900	
			550 × 550 × 38	T-20	280,400	T-14	174,200	T-2	155,500	T-2	114,300	T-2	97,500	37,200	
			550 × 550 × 50	T-20	369,800	T-20	236,200	T-14	204,200	T-14	152,100	T-6	132,400	41,500	
			650 × 650 × 20	T- 歩	251,900	T- 歩	204,600	T- 歩	176,900	T- 歩	125,300	T- 歩	101,500	33,800	
	65	□ 600	650 × 650 × 25	T-2	267,600	T- 歩	205,000	T- 歩	188,200	T- 歩	146,000	T- 歩	120,800	36,000	
			650 × 650 × 32	T-6	327,300	T-2	205,400	T-2	188,500	T- 歩	159,700	T- 歩	147,700	38,500	
			650 × 650 × 38	T-14	387,000	T-2	324,400	T-2	205,800	T-2	174,500	T- 歩	173,700	41,300	
			650 × 650 × 50	T-20	548,300	T-20	326,900	T-14	288,000	T-2	214,900	T-2	190,500	46,800	

■ます蓋用グレーチング フラットバー4mmタイプ ローレット型

符号	呼び	ます穴	蓋定価										受枠定価	
			寸法		ピッチ(mm)									MBNタイプ
			幅×長さ×高さ	耐荷重	10	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重		
DFG-MR-4 	35	□ 300	350 × 350 × 20	T-2	79,500	T-2	59,000	T- 歩	50,600	T- 歩	37,300	T- 歩	32,900	16,800
			350 × 350 × 25	T-14	95,500	T-6	65,400	T-2	55,800	T-2	42,500	T-2	39,000	18,400
			350 × 350 × 32	T-20	121,900	T-20	82,300	T-14	70,700	T-6	52,600	T-2	46,200	19,400
			350 × 350 × 38	T-20	140,000	T-20	97,500	T-20	82,700	T-14	59,900	T-14	51,800	21,100
	40	□ 350	400 × 400 × 20	T-2	99,500	T-2	79,100	T- 歩	67,000	T- 歩	48,600	T- 歩	42,200	19,100
			400 × 400 × 25	T-14	119,900	T-2	86,700	T-2	77,900	T- 歩	55,800	T- 歩	47,400	20,800
			400 × 400 × 32	T-20	148,400	T-14	111,500	T-6	94,800	T-2	69,500	T-2	61,400	22,300
			400 × 400 × 38	T-20	221,900	T-20	126,000	T-14	109,600	T-14	84,300	T-2	75,400	23,900
	45	□ 400	400 × 400 × 50	T-20	266,700	T-20	163,400	T-20	137,600	T-20	115,500	T-20	118,700	26,700
			450 × 450 × 20	T-2	136,400	T- 歩	88,700	T- 歩	79,500	T- 歩	60,200	T- 歩	50,600	21,700
			450 × 450 × 25	T-6	153,600	T-2	101,900	T-2	92,600	T- 歩	70,700	T- 歩	57,400	23,100
			450 × 450 × 32	T-20	203,000	T-14	132,000	T-2	115,200	T-2	83,800	T-2	69,500	24,800
	50	□ 450	450 × 450 × 38	T-20	284,000	T-14	157,700	T-14	133,600	T-2	98,300	T-2	86,200	27,000
			450 × 450 × 50	T-20	375,800	T-20	191,400	T-20	165,300	T-20	122,800	T-14	106,400	29,800
			500 × 500 × 20	T-2	155,300	T- 歩	125,600	T- 歩	105,900	T- 歩	75,100	T- 歩	63,400	23,900
			500 × 500 × 25	T-2	187,300	T-2	132,000	T- 歩	117,200	T- 歩	88,200	T- 歩	73,900	25,500
	55	□ 500	500 × 500 × 32	T-14	231,500	T-2	162,400	T-2	142,800	T-2	107,600	T- 歩	91,400	27,800
			500 × 500 × 38	T-20	265,100	T-14	188,500	T-6	163,700	T-2	119,200	T-2	100,000	29,800
			500 × 500 × 50	T-20	425,600	T-20	235,400	T-20	202,500	T-14	147,700	T-14	125,600	33,000
			550 × 550 × 20	T- 歩	231,500	T- 歩	154,500	T- 歩	136,100	T- 歩	105,100	T- 歩	93,100	30,900
	65	□ 600	550 × 550 × 25	T-2	263,900	T-2	154,800	T- 歩	142,500	T- 歩	116,000	T- 歩	101,900	32,500
			550 × 550 × 32	T-14	307,700	T-2	206,200	T-2	168,500	T-2	126,000	T- 歩	121,100	34,900
			550 × 550 × 38	T-20	363,700	T-14	220,200	T-2	197,800	T-2	151,300	T-2	126,800	37,200
			550 × 550 × 50	T-20	480,000	T-20	287,500	T-14	248,200	T-14	185,000	T-6	160,900	41,500
	65	□ 600	650 × 650 × 20	T- 歩	327,300	T- 歩	256,800	T- 歩	221,900	T- 歩	167,300	T- 歩	148,100	33,800
			650 × 650 × 25	T-2	347,700	T- 歩	259,000	T- 歩	233,400	T- 歩	185,800	T- 歩	164,100	36,000
			650 × 650 × 32	T-6	425,100	T-2	261,500	T-2	236,200	T- 歩	207,400	T- 歩	203,400	38,500
			650 × 650 × 38	T-14	502,100	T-2	395,900	T-2	304,500	T-2	212,600	T- 歩	211,800	41,300
650 × 650 × 50	T-20	711,500	T-20	397,900	T-14	342,900	T-2	252,600	T-2	217,800	46,800			

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

■ 深型落ち葉キャッチャー付 ます蓋用グレーチング

符号	呼び	ます穴	蓋・枠・深型 落ち葉キャッチャー セット定価										
			寸法		ピッチ (mm)								
			幅×長さ×高さ	耐荷重	10	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重	30
DFGM4-FLCD	35	□ 300	350 × 350 × 20	T-2	139,000	T-2	115,700	T-歩	111,000	T-歩	103,300	T-歩	100,000
			350 × 350 × 25	T-14	152,900	T-6	126,100	T-2	120,100	T-2	110,400	T-2	106,400
			350 × 350 × 32	T-20	175,700	T-20	142,400	T-14	134,100	T-6	120,400	T-2	115,200
			350 × 350 × 38	T-20	191,100	T-20	152,100	T-20	143,700	T-14	128,900	T-14	122,500
	40	□ 350	400 × 400 × 20	T-2	161,000	T-2	132,600	T-歩	125,800	T-歩	116,700	T-歩	112,300
			400 × 400 × 25	T-14	178,700	T-2	145,100	T-2	137,000	T-歩	124,500	T-歩	119,800
			400 × 400 × 32	T-20	202,700	T-14	161,700	T-6	151,800	T-2	136,100	T-2	130,500
			400 × 400 × 38	T-20	261,100	T-20	176,800	T-14	168,900	T-14	149,300	T-2	133,600
	45	□ 400	400 × 400 × 50	T-20	299,900	T-20	220,800	T-20	199,200	T-20	169,200	T-20	161,100
			450 × 450 × 20	T-2	198,200	T-歩	158,900	T-歩	150,500	T-歩	136,000	T-歩	129,600
			450 × 450 × 25	T-6	213,200	T-2	175,600	T-2	165,500	T-歩	147,900	T-歩	136,200
			450 × 450 × 32	T-20	253,800	T-14	198,100	T-2	185,300	T-2	162,900	T-2	153,600
	45	□ 400	450 × 450 × 38	T-20	318,700	T-14	217,900	T-14	202,700	T-2	173,000	T-2	159,000
			450 × 450 × 50	T-20	393,500	T-20	252,400	T-20	237,200	T-20	207,000	T-14	192,200
			500 × 500 × 20	T-2	225,300	T-歩	180,400	T-歩	170,300	T-歩	154,300	T-歩	148,200
			500 × 500 × 25	T-2	251,800	T-2	198,500	T-歩	186,900	T-歩	167,200	T-歩	159,200
	50	□ 450	500 × 500 × 32	T-14	288,600	T-2	223,300	T-2	208,500	T-2	183,900	T-歩	174,300
			500 × 500 × 38	T-20	317,100	T-14	244,900	T-6	228,400	T-2	200,100	T-2	187,600
			500 × 500 × 50	T-20	445,300	T-20	294,600	T-20	271,300	T-14	233,200	T-14	218,000
			550 × 550 × 20	T-歩	290,100	T-歩	244,000	T-歩	222,800	T-歩	187,100	T-歩	172,600
	55	□ 500	550 × 550 × 25	T-2	317,200	T-2	247,900	T-歩	236,200	T-歩	200,900	T-歩	185,700
			550 × 550 × 32	T-14	353,900	T-2	290,300	T-2	257,300	T-2	214,800	T-歩	205,200
			550 × 550 × 38	T-20	400,300	T-14	294,100	T-2	275,400	T-2	234,200	T-2	217,400
			550 × 550 × 50	T-20	495,000	T-20	361,400	T-14	329,400	T-14	277,300	T-6	257,600
	65	□ 600	650 × 650 × 20	T-歩	373,200	T-歩	325,900	T-歩	298,200	T-歩	246,600	T-歩	222,800
			650 × 650 × 25	T-2	391,500	T-歩	328,900	T-歩	312,100	T-歩	269,900	T-歩	244,700
			650 × 650 × 32	T-6	454,800	T-2	332,900	T-2	316,000	T-歩	287,200	T-歩	275,200
			650 × 650 × 38	T-14	517,600	T-2	455,000	T-2	336,400	T-2	305,100	T-歩	304,300
650 × 650 × 50	T-20	685,200	T-20	463,800	T-14	424,900	T-2	351,800	T-2	327,400			

■ 浅型落ち葉キャッチャー付 ます蓋用グレーチング

符号	呼び	ます穴	蓋・枠・深型 落ち葉キャッチャー セット定価										
			寸法		ピッチ (mm)								
			幅×長さ×高さ	耐荷重	10	耐荷重	15	耐荷重	20	耐荷重	25	耐荷重	30
DFGM4-FLCS	35	□ 300	350 × 350 × 20	T-2	103,800	T-2	80,500	T-歩	75,800	T-歩	68,100	T-歩	64,800
			350 × 350 × 25	T-14	117,700	T-6	90,900	T-2	84,900	T-2	75,200	T-2	71,200
			350 × 350 × 32	T-20	140,500	T-20	107,200	T-14	98,900	T-6	85,200	T-2	80,000
			350 × 350 × 38	T-20	155,900	T-20	116,900	T-20	108,500	T-14	93,700	T-14	87,300
	40	□ 350	400 × 400 × 20	T-2	124,000	T-2	95,600	T-歩	88,800	T-歩	79,700	T-歩	75,300
			400 × 400 × 25	T-14	141,800	T-2	108,200	T-2	100,100	T-歩	87,600	T-歩	82,900
			400 × 400 × 32	T-20	165,700	T-14	124,700	T-6	114,800	T-2	99,100	T-2	93,500
			400 × 400 × 38	T-20	224,100	T-20	139,800	T-14	131,900	T-14	112,300	T-2	96,600
	40	□ 350	400 × 400 × 50	T-20	262,900	T-20	183,800	T-20	162,200	T-20	132,200	T-20	124,100
			450 × 450 × 20	T-2	157,700	T-歩	118,400	T-歩	110,000	T-歩	95,500	T-歩	89,100
			450 × 450 × 25	T-6	172,700	T-2	135,100	T-2	125,000	T-歩	107,400	T-歩	95,700
			450 × 450 × 32	T-20	213,300	T-14	157,600	T-2	144,800	T-2	122,400	T-2	113,100
	45	□ 400	450 × 450 × 38	T-20	278,200	T-14	177,400	T-14	162,200	T-2	132,500	T-2	118,500
			450 × 450 × 50	T-20	353,000	T-20	211,900	T-20	196,700	T-20	166,500	T-14	151,700
			500 × 500 × 20	T-2	176,600	T-歩	131,700	T-歩	121,600	T-歩	105,600	T-歩	99,500
			500 × 500 × 25	T-2	203,100	T-2	149,800	T-歩	138,200	T-歩	118,500	T-歩	110,500
	50	□ 450	500 × 500 × 32	T-14	239,900	T-2	174,600	T-2	159,800	T-2	135,200	T-歩	125,600
			500 × 500 × 38	T-20	268,400	T-14	196,200	T-6	179,700	T-2	151,400	T-2	138,900
			500 × 500 × 50	T-20	396,600	T-20	245,900	T-20	222,600	T-14	184,500	T-14	169,300
			550 × 550 × 20	T-歩	239,700	T-歩	193,600	T-歩	172,400	T-歩	136,700	T-歩	122,200
	55	□ 500	550 × 550 × 25	T-2	266,900	T-2	197,600	T-歩	185,900	T-歩	150,600	T-歩	135,400
			550 × 550 × 32	T-14	303,500	T-2	239,900	T-2	206,900	T-2	164,400	T-歩	154,800
			550 × 550 × 38	T-20	349,900	T-14	243,700	T-2	225,000	T-2	183,800	T-2	167,000
			550 × 550 × 50	T-20	444,600	T-20	311,000	T-14	279,000	T-14	226,900	T-6	207,200
	65	□ 600	650 × 650 × 20	T-歩	321,600	T-歩	274,300	T-歩	246,600	T-歩	195,000	T-歩	171,200
			650 × 650 × 25	T-2	339,900	T-歩	277,300	T-歩	260,500	T-歩	218,300	T-歩	193,100
			650 × 650 × 32	T-6	403,300	T-2	281,300	T-2	264,500	T-歩	235,700	T-歩	223,700
			650 × 650 × 38	T-14	466,000	T-2	403,400	T-2	284,800	T-2	253,500	T-歩	252,700
650 × 650 × 50	T-20	633,600	T-20	412,200	T-14	373,300	T-2	300,200	T-2	275,800			

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社


■CDます縁塊用 細目グレーチング フラットバー4mmタイプ

符号	呼び	荷重	ます穴	サイズ						定価
				幅	長さ	h	高さ	ピッチ	角パイプ	
DFG-CD 	30-2	T2 軽荷重用	□ 300	365	370	20	50	13	25x30	71,700
	36-2		□ 360	425	430	20	50	13	25x30	94,900
	45-2		□ 450	515	520	20	50	13	25x30	134,200
	50-2		□ 500	565	570	25	50	13	25x30	179,300
	60-2		□ 600	666	670	25	57	13	32x32	244,100
	30-14	T6・T14 中・重荷 重用	□ 300	365	370	25	50	13	25x30	82,200
	36-14		□ 360	425	430	25	50	13	25x30	108,800
	45-14		□ 450	515	520	32	52	13	20x30	232,500
	50-14		□ 500	565	570	32	52	13	20x30	275,300
	60-14		□ 600	666	670	38	58	13	20x30	429,100


■CDます縁塊用 細目グレーチング フラットバー4mmタイプ ローレット型

符号	呼び	荷重	ます穴	サイズ						定価
				幅	長さ	h	高さ	ピッチ	角パイプ	
DFG-R-CD 	30-2	T2 軽荷重用	□ 300	365	370	20	50	13	25x30	81,100
	36-2		□ 360	425	430	20	50	13	25x30	107,300
	45-2		□ 450	515	520	20	50	13	25x30	151,700
	50-2		□ 500	565	570	25	50	13	25x30	202,700
	60-2		□ 600	666	670	25	57	13	32x32	275,900
	30-14	T6・T14 中・重荷 重用	□ 300	365	370	25	50	13	25x30	92,900
	36-14		□ 360	425	430	25	50	13	25x30	122,900
	45-14		□ 450	515	520	32	52	13	20x30	262,800
	50-14		□ 500	565	570	32	52	13	20x30	311,200
	60-14		□ 600	666	670	38	58	13	20x30	485,100

■溜めます用 細目グレーチング 4面ツバ付 フラットバー4mmタイプ

符号	呼び	荷重	ます穴	サイズ					定価
				LxW	AxB	高さ	ピッチ	エンドアップ ル	
DFUM-T 	24-15	歩行用	□ 240	255x255	309x309	15	30	L30x30x3	28,500
	30-15		□ 300	315x315	369x369	15	30		39,100
	36-15		□ 360	375x375	429x429	15	30		50,700
	45-15		□ 450	465x465	539x539	15	30	L40x40x3	70,800
	60-15		□ 600	620x620	694x694	20	30	L40x40x3	141,600
	24-25	T-2	□ 240	255x255	309x309	25	30	L30x30x3	38,100
	30-32		□ 300	315x315	389x389	32	30	L40x40x3	68,700
	36-32		□ 360	375x375	449x449	32	30		89,800
	45-38		□ 450	465x465	539x539	38	30		143,700
	60-50		□ 600	620x620	710x710	50	30	L50x50x6	340,100


■改良ます用 細目グレーチング 4面ツバ付 フラットバー4mmタイプ

符号	呼び	荷重	ます穴	サイズ					定価
				LxW	AxB	高さ	ピッチ	エンドアップ ル	
DFUM-K 	24-15	歩行用	□ 240	220x220	274x274	15	30	L30x30x3	23,300
	30-15		□ 300	280x280	334x334	15	30		32,800
	36-15		□ 360	340x340	394x394	15	30		44,400
	45-15		□ 450	430x430	504x504	15	30	L40x40x3	63,400
	60-15		□ 600	580x580	654x654	15	30	L40x40x3	101,400
	24-20	T-2	□ 240	220x220	274x274	20	30	L30x30x3	27,500
	30-25		□ 300	280x280	334x334	25	30		43,400
	36-32		□ 360	340x340	414x414	32	30		L40x40x3
	45-32		□ 450	430x430	504x504	32	30	114,100	
	60-38		□ 600	580x580	654x654	38	30	211,200	


2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ガイドレ株式会社

■側溝 タイル用 スリットグレーチング

符号	呼び	溝幅	寸法 (mm)	蓋定価									受枠定価
				DKK-1(歩行用)			DKK-2(T-2)			DKK-14(T-14)			
				適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	
 DKK(P=10)	25	150	240 × 1000	歩行用	T-2	T-14	80,600	71,100	95,400	81,800	113,200	100,200	24,400
	30	200	290 × 1000				90,000	80,600	104,500	90,900	123,300	109,300	24,400
	35	250	340 × 1000				97,400	89,000	113,200	99,200	132,900	118,900	24,400
	40	300	390 × 1000				106,800	97,100	122,500	108,900	140,900	127,400	24,400


■側溝インターロッキングブロック用 スリットグレーチング

符号	呼び	溝幅	寸法 (mm)	蓋定価									受枠定価
				DKL-1(歩行用)			DKL-2(T-2)			DKL-14(T-14)			
				適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	
 DKL(P=10)	25	150	240 × 1000	歩行用	T-2	T-14	117,400	100,900	129,400	115,400	143,100	132,500	43,200
	30	200	290 × 1000				127,200	111,300	122,400	126,900	166,600	153,100	43,200
	35	250	340 × 1000				138,300	124,100	156,400	139,400	181,300	166,800	43,200
	40	300	390 × 1000				148,200	137,100	172,100	152,600	197,100	194,400	43,200

■ます蓋 タイル用 スリットグレーチング

符号	呼び	ます穴	寸法 (mm)	蓋定価									受枠定価
				DKH-1(歩行用)			DKH-2(T-2)			DKH-14(T-14)			
				適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	
 DKH(P=10)	40	□ 300	390 × 390	歩道用	T-2	T-14	38,500	34,500	56,900	48,200	65,300	55,400	35,100
	55	□ 450	540 × 540				62,100	52,900	78,900	73,100	98,900	81,300	42,300
	70	□ 600	690 × 690				85,300	79,800	122,400	119,300	150,100	147,600	48,000

■ます蓋 インターロッキングブロック用 スリットグレーチング

符号	呼び	ます穴	寸法 (mm)	蓋定価									受枠定価
				DKHL-1(歩行用)			DKHL-2(T-2)			DKHL-14(T-14)			
				適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	適用荷重	ピッチ=10	ピッチ=15	
 DKHL(P=10)	40	□ 300	390 × 390	歩道用	T-2	T-14	61,500	57,700	84,700	73,500	96,900	87,100	51,400
	55	□ 450	540 × 540				95,300	91,600	131,200	108,500	148,200	138,600	63,700
	70	□ 600	690 × 690				125,600	122,100	172,100	165,700	220,500	193,900	75,500

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

■ピット蓋

符号	呼び	溝幅	サイズ(mm)			ピッチ(mm)			開口面積 (mm ²)	厚さ(t)		
			幅	長さ	厚み	P	P'	O		3	4	5
DPH 	10	50	99	499	3・4・5	70	16	41.5	3031	6,500	8,200	10,300
	12	70	119			70	36	41.5	3031	7,700	9,800	12,400
	15	100	149			70	33	41.5	5052	8,400	12,400	14,800
	18	130	179			70	48	41.5	5052	10,000	14,600	18,400
	20	150	199			70	29	41.5	8335	11,400	16,200	20,100
	25	200	249			70	41.5	41.5	8335	14,200	20,100	25,100
	30	250	299			70	36	41.5	11619	16,700	24,200	29,600
	35	300	349			70	44	42.5	11619	19,500	27,900	34,600
	40	350	399			70	39.5	41.5	14903	24,200	31,700	39,900
	45	400	449			70	45	44.5	14903	27,700	35,900	44,400
	50	450	499			70	41.6	41.5	18186	29,600	39,900	49,300

■凸凸型ピット蓋

符号	呼び	溝幅	サイズ(mm)			ピッチ(mm)			開口面積 (mm ²)	厚さ(t)	
			幅	長さ	厚み	P	P'	O		3	4
DPN 	10	50	99	499	3・4	70	16	41.5	3031	10,300	16,400
	12	70	119			70	36	41.5	3031	11,600	17,800
	15	100	149			70	33	41.5	5052	13,900	20,600
	18	130	179			70	48	41.5	5052	15,200	23,000
	20	150	199			70	29	41.5	8335	17,200	24,400
	25	200	249			70	41.5	41.5	8335	19,600	28,400
	30	250	299			70	36	41.5	11619	24,200	34,200
	35	300	349			70	44	42.5	11619	29,600	38,900
	40	350	399			70	39.5	41.5	14903	35,900	46,400
	45	400	449			70	45	44.5	14903	39,900	50,000
	50	450	499			70	41.6	41.5	18186	44,400	57,200

■リティナーブッシュ型ピット蓋

符号	呼び	溝幅	サイズ(mm)			ピッチ(mm)			開口面積 (mm ²)	厚さ(t)	
			幅	長さ	厚み	P	P'	O		3	4
DPH-Q 	10	50	99	499	3・4	70	16	41.5	1902	9,500	12,600
	12	70	119			70	36	41.5	1902	11,400	14,400
	15	100	149			70	33	41.5	3170	14,700	18,400
	18	130	179			70	48	41.5	3170	17,200	21,300
	20	150	199			70	29	41.5	5230	20,900	25,900
	25	200	249			70	41.5	41.5	5230	24,400	30,400
	30	250	299			70	36	41.5	7291	30,000	37,400
	35	300	349			70	44	42.5	7291	34,000	42,300
	40	350	399			70	39.5	41.5	9352	39,900	49,800
	45	400	449			70	45	44.5	9352	44,400	54,400
	50	450	499			70	41.6	41.5	11412	49,100	61,600

2023年4月版 (2023.2制定) グレーチング & ピットカバー 定価

ダイドレ株式会社

■エッチングタイプピット蓋

符号	呼び	溝幅	サイズ(mm)			ピッチ(mm)			開口面積 (mm ²)	厚さ(t)		
			幅	長さ	厚み	P	P'	O		3	4	5
DPH-E 	10	50	99	499	3-4-5	70	16	41.5	3031	9,800	12,400	16,200
	12	70	119			70	36	41.5	3031	11,800	14,700	19,400
	15	100	149			70	33	41.5	5052	14,600	18,400	23,700
	18	130	179			70	48	41.5	5052	17,300	22,500	28,300
	20	150	199			70	29	41.5	8335	19,300	25,100	31,300
	25	200	249			70	41.5	41.5	8335	23,700	31,100	38,900
	30	250	299			70	36	41.5	11619	28,300	38,500	47,500
	35	300	349			70	44	42.5	11619	33,300	43,400	54,800
	40	350	399			70	39.5	41.5	14903	37,700	49,300	62,600
	45	400	449			70	45	44.5	14903	43,400	55,800	70,000
	50	450	499			70	41.6	41.5	18186	47,300	61,700	77,800

■縞板ピット蓋

符号	呼び	溝幅	サイズ(mm)			ピッチ(mm)			開口面積 (mm ²)	厚さ(t)	
			幅	長さ	厚み	P	P'	O		3	4.5
DPH-S 	10	50	99	499	3-4-5	70	16	41.5	3031	11,400	14,700
	12	70	119			70	36	41.5	3031	12,700	17,300
	15	100	149			70	33	41.5	5052	14,800	20,900
	18	130	179			70	48	41.5	5052	18,400	25,900
	20	150	199			70	29	41.5	8335	20,200	27,100
	25	200	249			70	41.5	41.5	8335	24,500	34,100
	30	250	299			70	36	41.5	11619	29,400	39,200
	35	300	349			70	44	42.5	11619	40,100	49,200
	40	350	399			70	39.5	41.5	14903	43,200	60,600
	45	400	449			70	45	44.5	14903	49,800	68,100
	50	450	499			70	41.6	41.5	18186	58,100	75,600

2023年4月版 (2023.2制定)

グレーチング & ピットカバー 定価

ダイドレ株式会社

■ピット蓋用受枠 CA枠

符号	呼び	蓋厚み 3t・4t 用		蓋厚み 4.5t・5t 用	
		枠定価	枠延長料金(0.5m分)	枠定価	枠延長料金(0.5m分)
 (L30・長さ0.5m・四方枠)	10	22,200	10,500	24,500	12,600
	12	22,600	10,500	24,900	12,600
	15	23,200	10,500	25,700	12,600
	18	23,700	10,500	26,400	12,600
	20	24,200	10,500	26,900	12,600
	25	25,200	10,500	28,200	12,600
	30	26,300	10,500	29,400	12,600
	35	27,300	10,500	30,600	12,600
	40	28,300	10,500	31,800	12,600
	45	29,400	10,500	33,300	12,600
	50	30,400	10,500	34,500	12,600

■ピット蓋用受枠 CA-Q枠

符号	呼び	蓋厚み 3t・4t 用		蓋厚み 4.5t・5t 用	
		枠定価	枠延長料金(0.5m分)	枠定価	枠延長料金(0.5m分)
 (L30・長さ0.5m・四方枠)	10	25,100	13,100	26,300	14,200
	12	25,500	13,100	26,800	14,200
	15	26,400	13,100	27,700	14,200
	18	27,100	13,100	28,600	14,200
	20	27,700	13,100	29,000	14,200
	25	29,000	13,100	30,400	14,200
	30	30,300	13,100	31,900	14,200
	35	31,700	13,100	33,400	14,200
	40	32,900	13,100	34,800	14,200
	45	34,200	13,100	36,100	14,200
	50	35,700	13,100	37,500	14,200

2023年4月版(2023.2制定) グレーチング & ピットカバー 定価

ガイドレ株式会社

■グレーチング受枠

【適応本体】DMMT-8・DMTG-A8S・DFG・DFG-R・DH・DH-R・DFM・DFM-R・DHM・DHM-R・DFG-M-4・DFG-MR-4

符号	高さ		円 /m(片側)
MBN 枠	15H 用	18 × 30	6,700
	20H 用	23 × 30	6,900
	25H 用	28 × 30	7,600
	32H 用	35 × 30	9,000
	38H 用	41 × 30	9,500
	50H 用	53 × 30	11,100

【適応本体】DFG-B・DFG-BR・DHB・DHB-R

符号	高さ		円 /m(片側)
MBNB 枠	20H 用	23 × 30	8,200
	25H 用	28 × 30	9,000
	32H 用	35 × 30	10,300
	38H 用	41 × 30	11,400
	50H 用	53 × 30	14,200

符号	高さ		円 /m(片側)
B 枠	15H 用	20 × 20	6,700
	20H 用	25 × 25	6,900
	25H 用	30 × 30	7,200
E 枠	15H 用		5,500
	20H 用		5,500
	25H 用		5,500

■グレーチング用 開閉工具

符号	定価(1本)
グレーチング用 開閉工具	3,000